

	BOQ								
SI.	Name of the Item	Specification	Required Quantity	Unit	Unit Price	Total Price	Justification / Remarks		
FUR	NITURE				,				
1	Arm Cushion Chair	Head rest facilitated revolving, swiveled, back tilting with Limber supported back rest facilitated hazard free pneumatic lifting chair constructed with poly foam cushioning seat and back with 16mm PVC shell and covered with best quality mesh Fabric and with Rexene upholstery. A 90mm gas cylinder used for pneumatic height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure by chrome plated metal leg base with five castors. Curved solid PVC armrests are fixed with main base by Two SS tube. Size: Seat-550x500 and Back - 560x540mm	2	Nos					
2	Armless Chair	Armless Chair: Plastic Chair made from the premium quality raw material and sophisticated technology by talented professionals. Chair are widely longer life, break resistance, optimum finish, smooth edges, exquisite design and attractive look. Size-Standard	2	Nos					
3	Bookshelf	Multipurpose Shelf made of, 16 mm thick scratch proof and termite proof melamine laminated wood particleboard with PVC edging.4Nos. Shelve. 3Nos. are covered by 3mm sliding glass on PVC channel and 1No. Shelf covered by 2laminated board door with Handle and tower bolt. Back side covered by 3mm thick ply wood. One load bearing support vertically fixes on each shelf. Fully knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin etc. Size: L600 x W300 x H1700mm	2	Nos					
4	Cane	Beter Dolna: Beter Dolna made from the premium quality raw Cane and sophisticated technology by talented professionals. Dolna are widely longer life. Size: Standerd	10	Pcs					
5	Chairs	Chair: Plastic Chair made from the premium quality raw material and sophisticated technology by talented professionals. Chair are widely longer life, break resistance, optimum finish, smooth edges, exquisite design and attractive look. Size-Standard	10	Pcs					
6	File Cabinet	Fully rivet less welding constructed 3Drawer individual locking filing cabinet made of, 0.7mm thick high quality cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted and zinc phosphate coated with oven backed paint finish. Drawers are sates on high quality smooth running MS channel. Drawer fronts are with rectangular PVC Handle. Drawers are individual locking mechanism with double key. All bands are treated with automatic MS banding machine. All complete as per enclosed drawing. Size :L476 x W620 x H1070mm	2	Nos					

SI.	Name of the Item	Specification	Required Qu	uantity	Unit	Unit Price	Total Price	Justification / Remarks
7	Full Secretariat Table	Chief Executive Table constructed with one Fix Drawer unit and one fix annexure. Table made of melamine face chip board with PVC edging. Board density is of 650-700 kg/m3. One Fixed Drawer unit consists of 3drawe with central lock and Knobs. Side Rack (one side open with shelf and one side covered by 2nos.door with lock & knobs) fixed with the table. Work top of the table sate on MS & SS structure. Table stands on 10nos. heavy duty PVC stopper. Table top 32 (16mm solid Top and 16mm bit in all side) other panels 16mm thick Melamine laminated wood particle board with 2 and 1mm thick PVC edging by automatic edge banding machine. Top of the table fixed on MS & SS structure. Front of Table top is straight and user side slightly curved. Fully knock down system by using of Housing, Dowel, TNut, JRN nut, Wood pin, Housing cap etc. Size: L1800 x W1700 x H750mm	1		Nos			
8	Half Secretariat Table	Executive Table with Fixed Drawer Unit made of imported best quality scratch proof and termite proof melamine faced chip board, 3mm thick ply wood with PVC stopper & edging by automatic edge bending machine. Board Thickness 16mm. Table Top 16mm thick solid top with 16mm thick 100mm wide load bearing horizontal support tie in front and back. Other panels are 16mm thick MFC board. 390x495x390mm fixed drawer unit made of 16mm thick MFC board with best quality MS channel, PVC round handle and with central locking system. Bottom of the drawers are of 3mm thick ply wood. Drawer unit consist of 3drawer. Drawer fixed on Table top in right side. Table top fixed in between the side panels and one 550mm high horizontal front panel fixed in between the side panels. Fully knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin etc. Size: L1200 x W600 x H750mm	5		Nos			
9	High chair/Booster seat/Portable seat	High Chair Head rest facilitated revolving, and back tilting with Limber supported back rest facilitated hazard free pneumatic lifting chair constructed with poly foam cushioning seat and back with 16mm Ply shell and covered with best quality Fabric and with Rexene upholstery. A 90mm gas cylinder used for pneumatic height adjustable mechanism. Tilting mechanism with heavy duty spring to be used in bottom of the seat and sat on MS structure by chrome plated metal Fixed leg . base . Curved solid PVC armrests are fixed with main base by Two SS tube. and Leg rest. Size: Seat-550x500 and Back - 560x540mm	2		Pcs			
10	Lecture Table	Class Room Rostrum/Podium made by: Top : 3mm SS Bar Frame & 18mm thick Malaysian MDF wood 22'' X 18'' top. Pillars:48'' Pillars Front side 3mm thick Alcabone & Back side 18mm thick Malaysian MDF wooden Frame. Base:Wood + Alcabone 24'' X 20'' X 4''. Finish:Antique Lacuer. Wood: Malaysian MDF wood. Total Hight: 54''.	2		Nos			
11	Overhead Cabinet	Overhead Cabinet made of imported best quality scratch proof and termite proof melamine faced chip board, 3mm thick ply wood with PVC stopper & edging by automatic edge bending machine. Board Thickness 16mm. Fully knock down system by using Housing, Dowel, T-nut, JRN nut, Wood Pin etc. Size: L700 x W350 x H650mm	1		Sft			

SI.	Name of the Item	Specification	Required Quantity	Unit	Unit Price	Total Price	Justification / Remarks
12	Steel Almirah	Best quality Steel Almirah made of rivet less fully mig welded 0.7 & 0.8mm thick imported cold rolled Mild Steel. All surface of Mild Steel (MS) chemically de-rusted, zinc phosphate coated and oven-backed powder paint finish with high quality imported S type handle with office lock. Inside constructed with one fixed shelf with 2nos.drawer and 3nos height adjustable shelves on MS slot. Almirah to be stands on box type MS Leg. All bands are created by automatic banding machine. Size: L914 x W483 x H1930mm.	2	Nos			
13	Tabloid Chair	Classroom Chair with writing pad. Structure made of1.2mm thick 18mm dia cold rolled Mild Steel with PVC stopper. 50mm thick Foam cousin covered with high quality Local Rexene upholstery seat and back on ply wood shell. All surface of Mild Steel Zinc Phosphate coated and oven backed powder paint finish. Writing pad made of 16mm thick pesticide wood particle board with PVC edging and fixed on tubular MS structure and 5mm thick MS channel in bottom. Height: Floor to Seat –480mm, Floor to back –820mm, Seat- 400x410mm & Back – 355x300mm. Floor to Writing Pad height: 660mm Size: Size of Writing Pad: 230x485x16mm	20	Nos			
14	Tools Rack	Slotted Angle Rack: Heavy duty Height adjustable slotted angle Rack made of 2.00 mm thick MS angle & 0.7mm thick Cold Rolled Mild Steel. All surface of Mild Steel are chemically de-rusted and zinc phosphate coated with oven backed powder paint finish. Four nos. perforated MS angles are of 2.00mm thick and 5 No's height adjustable shelves are made of0.7mm thick cold rolled mild steel with 25mm band around the shelf and stiffener in bottom. Load bearing capacity of each shelves are 0.5ton. Shelves to be fixe with 4no's perforated MS angle by MS joint plate. Fully knock down system. Size: L1200 x W450 x H1800mm.	5	Nos			
15	White board	White Board: White Board made of imported best quality scratch proof and termite proof Plain Partical board, With 1mm thick Formica. Board Thickness 16mm. Size: L1800 x W16 x H1200mm.	2	Nos			
16	Working table	Working Table: The structure of table made by 75x75x6 mm, minimum angle bar and top of the table is made by 1.5 inch seasined mehogony wood; Color - Burnish, Size: L1800 x W900 x H1200mm.	5	Nos			
Total						-	